



FALL

PRODUCT SPOTLIGHT

RUBBER TARP STRAPS

FALL CLEAN-UP IS EASY WITH OUR DURABLE RUBBER TARP STRAPS.

MADE WITH EPDM RUBBER, THESE STRAPS RETAIN THEIR ELASTICITY LONGER THAN A NATURAL RUBBER STRAP. INCLUDES A METAL "S" HOOK ON EACH STRAP END, AND IS WEATHERPROOF AND RESISTANT TO ABRASION.



TD-10-S	TD-15-S	TD-21-S	TD-31-S
<u>Strap Length</u> 10"	<u>Strap Length</u> 15"	<u>Strap Length</u> 21"	<u>Strap Length</u> 31"
<u>Overall Length w/ Hooks</u> 13"	<u>Overall Length w/ Hooks</u> 19"	<u>Overall Length w/ Hooks</u> 25"	<u>Overall Length w/ Hooks</u> 35"
<u>Min/Max Installed Length</u> 14" / 18"	<u>Min/Max Installed Length</u> 21" / 27"	<u>Min/Max Installed Length</u> 28" / 36"	<u>Min/Max Installed Length</u> 39" / 51"

SOLD IN BUNDLES OF 10 OR CASES OF 50

11" AMBER/GREEN LED MINI BAR LIGHT

ALT-F2410140-S



*ASK YOUR REP ABOUT
OTHER COLOR OPTIONS



- LOW PROFILE DESIGN
- 9' CABLE WIRE W/ CIG PLUG
- MAGNETIC OR SUCTION MOUNT TO ANY SURFACE
- CLEAR HOUSING
- 8 FLASH PATTERNS W/ PATTERN CHANGE SWITCH
- MOUNTING BAR INCLUDED
- 12V-24V DC

4.4" AMBER/GREEN LED WARNING STROBE

ALT-F0604140-S



*ASK YOUR REP ABOUT
OTHER COLOR OPTIONS



- SUPER SLIM DESIGN
- 12V-24V DC
- 26 FLASH PATTERNS
- ALUMINUM BASE HOUSING
- 5.5" OPEN END WIRE
- SIMULTANEOUS FUNCTION WITH MULTIPLE LIGHT HEADS
- SURFACE MOUNTING

3.5" ROUND LED LIGHT

ALT-W0904550-S



- FLOOD BEAM
- 36W, 2800LM, 12-24VDC
- ONE-FOOT CABLE WIRE WITH OPEN END

3.5" SQUARE LED LIGHT

ALT-W0904560-S



- SEALED PC LENS
- STAINLESS STEEL MOUNTING BRACKET (HARDWARE INCLUDED)

HEAT SHRINK TUBING

PROTECT AND BUNDLE YOUR WIRES WITH CONFIDENCE THIS FALL.

THIS FLEX DUAL-WALL ADHESIVE-LINED HEAT SHRINK TUBING HAS A RATIO OF 3:1 AND AN OPERATING TEMPERATURE OF -67°F TO 230°F (-55°C TO 110°C). THE TUBING SHRINK TEMPERATURE IS 250°F (121°C).

BLACK TUBING (1-FT PIECES)

ST-MW1/8-S	ST-MW1/4-S	ST-MW3/8-S	ST-MW1/2-S	ST-MW3/4-S
<u>Inner Diameter</u> 1/8"	<u>Inner Diameter</u> 1/4"	<u>Inner Diameter</u> 3/8"	<u>Inner Diameter</u> 1/2"	<u>Inner Diameter</u> 3/4"
<u>Color</u> Black	<u>Color</u> Black	<u>Color</u> Black	<u>Color</u> Black	<u>Color</u> Black
<u>Wire Range</u> 24-18 GA	<u>Wire Range</u> 20-10 GA	<u>Wire Range</u> 12-8 GA	<u>Wire Range</u> 10-4 GA	<u>Wire Range</u> 6-2/0 GA

RED TUBING (1-FT PIECES)

ST-MW1/8R-S	ST-MW1/4R-S	ST-MW3/8R-S	ST-MW1/2R-S	ST-MW3/4R-S
<u>Inner Diameter</u> 1/8"	<u>Inner Diameter</u> 1/4"	<u>Inner Diameter</u> 3/8"	<u>Inner Diameter</u> 1/2"	<u>Inner Diameter</u> 3/4"
<u>Color</u> Red	<u>Color</u> Red	<u>Color</u> Red	<u>Color</u> Red	<u>Color</u> Red
<u>Wire Range</u> 24-18 GA	<u>Wire Range</u> 20-10 GA	<u>Wire Range</u> 12-8 GA	<u>Wire Range</u> 10-4 GA	<u>Wire Range</u> 6-2/0 GA

SOLD IN BUNDLES OF 10 PER SIZE

SERRATED UTILITY BLADES

THESE SINGLE-EDGE SERRATED RAZOR BLADES OFFER QUICK CUTS AND USE LESS FORCE THAN A STRAIGHT BLADE. EFFICIENTLY CUT GASKETS, ROPE, SHEETS, TWINE, WEBBING, WIRE CLOTH, ETC.

EACH PACK INCLUDES 50 BLADES AND A BLADE DISPENSER.

BLD-UTILITY-DISP-SR-S



LENGTH – 2.5"
WIDTH – 0.75"
THICKNESS – 0.025"

MATERIAL – STEEL
EDGE – SERRATED



50 BLADES IN DISPENSER

NEED MORE STORAGE THIS SEASON?

ASK YOUR SALES REP ABOUT OUR STATE WIRE STORAGE SOLUTIONS!

VIEW AND DOWNLOAD
OUR PAMPHLET ON
WWW.STATEWIRE.COM

STORAGE SOLUTIONS

